

# TARGETED INDIVIDUALS: TOXIC CHEMICALS

Posted on **February 23, 2013**



Targeted Individuals have a hard time getting people to understand what is happening to them – made worse if what is happening is difficult to explain. This post looks at one such topic that has been kept under wraps for too long, even though much of it is in the public domain – **targeting with toxic biochemicals and malodorants\***. The

main issues examined are:

1. **Targeted Individuals' exposure to chemicals or malodorants**
2. **Toxic chemicals or malodorants applied directly to TIs.**
3. **Toxic chemicals directed across a TI's living space, affecting those nearby.**
4. **My hypothesis on how the toxins are delivered – synthetic biochemical frequencies directed down a high powered laser beam via satellite.**
5. **Targeted Individuals' exposure to chemicals or malodorants**
6. **Toxic chemicals or malodorants applied directly to TIs.**
7. **Toxic chemicals directed across a TI's living space, affecting those nearby.**
8. **My hypothesis on how the toxins are delivered – synthetic biochemical frequencies directed down a high powered laser beam via satellite.**

## **WHAT TIs HAVE TO SAY ABOUT EXPOSURE TO TOXIC BIOCHEMICALS**

Listed below are records of Targeted Individuals' experiences of exposure to toxic biochemicals / malodorants – as direct targeting of an individual or beaming across a TI's living space, possibly affecting other residents.

### **Details Targeted Individual Record**

Cases where one individual was targeted with toxic biochemicals

1. 2011 I am under heavy chemical attack day and night. If there are any other TIs likewise attacked please let me know what they are doing to stop or counteract these chemicals. Thanks for your help... I need to wear gas masks in my home and use air filtering equipment day and night, due to chemical assaults that cause nausea, diarrhea, dizziness, lung burning and other reactions. <http://www.truedemocracy.net/hj36/10s.html>
2. 2009 It also seems like I am periodically attacked with chemicals and/or drugs. Some bring on sudden light headedness and vision impairment. Some burn my lungs. Some create sudden burning rashes on my skin – like when something was put in my shoes. Sometimes something is done that makes me feel like my skin is being bitten by bugs, although

there are no bugs...In December 25, 2009 I ended up in the...NH emergency room with symptoms that mimicked a mild case of anthrax exposure. This suddenly started when I breathed in something that was placed in my room... I remained in a lot of pain and having a hard time breathing and was suddenly coughing up huge globs of mucus that had little black dots in it. This was not normal! I had not had a cold or been ill prior to this attack... someone else in the same area had an anthrax exposure, directly after this happened to me. <http://www.targetedinamerica.com/testamony.html>

3. Comment No 41. Response to post 9 below. <http://crownjul1.wordpress.com> Your story is identical what is happening to me and the chemical attacks are very real the numbness in my body is the same effect to what you have experienced .... poisoned and the list goes on. I have analysed how there doing it it has taken me the past four years, it is a radiation beam, there is a high tech military system <http://wikipedia.org/wiki/MIRACL> it is one of the most advanced chemical laser that the US have in possession....[www.unwittingvictim.com/Ethics2.html](http://www.unwittingvictim.com/Ethics2.html).

4.5 July 2012 Smells of feces odors, urine odors, cigarette, perfume, garbage, fuel appear in different intensities, even my windows are closed, also in nature, in other buildings, in airplanes. From one second to the other my room is getting cold, sinking down to very low temperatures, in summer as well as in winter. Putting on my heating doesn't help. [www.invisibletorture.wordpress.com](http://www.invisibletorture.wordpress.com)

5. Comment No 221. <http://crownjul1.wordpress.com> This person is using spy equipment and has actually electronically... used some type of chemicals or it may be real, that smells like feces, urine, and other chemicals, possibly drugs through electronic transmission and/or receiver.

6. Page 77 They use on purpose the combination of chemical gases and radiation most effective against the short time memory etc und extrem gesundheitsschädlich!![www.250CasesTortureFromEurope.pdf](http://www.250CasesTortureFromEurope.pdf)

7. Page 158 I was slipped cigarettes and noxious fumes that would make my lungs heavy and painful and provoke hacking cough for months on end... Unidentified dustlike chemicals were manipulated at other times that would render me with immunodeficient symptoms and would keep me consigned to bed for couples of months with recurring and successive symptoms of viral and streptococcal infection. Other types of gaseous chemicals were used to poison my vocal chords. As a result my vocal chord developed laryngeal polyps and 8 years ago I undergone a surgical intervention that eliminate them. I am still left with a debilitated, prone to infection voice box and their criminal approach hasn't stopped. I'm still assaulted with the same type of chemical irritants that reduces my voice to a whisper causes throat pain and laryngeal inflammation. It's a current state of events for 4 months now and they are well on this murderous path. I really fear for my life and everything is at the mercy of these criminals.[www.250CasesTortureFromEurope.pdf](http://www.250CasesTortureFromEurope.pdf)

8 I have endured situations which led me to seek safety by filing law suits to bring out the lab results of intentional toxic poisoning and electro-magnetic frequency assaults in my residence. [http://www.lambros.name/proffreedom/survivors\\_links.html](http://www.lambros.name/proffreedom/survivors_links.html)

Cases where more than one person was affected by toxic biochemicals applied across a

living space.

9. I am someone that is very sensitive to chemicals – I soon realised we were being poisoned and had many tests done to prove this but nothing showed up... I feel my fathers cancer was caused from chemical poisoning(so is really SILENT murder) At least 4-5 other cancer/brain illness deaths happened in a close proxcity to the property- all within a 3 year time span.Things done were more directed at me than my daughter. I can taste and/or smell high chemical prescence when others often can't. I can tell the difference between low and high or constant volumes...I have even gone unconscious in my bed from it and at other times I would be in bed and feel the stuff come in, and even though I had the phone in my hand ready to call the police, the effects of the stuff cut off my ability to react...I don't believe that we are the only ones that were being poisoned, but the average person would be totally unaware as they are most likely not sensitive like me and the medical profession are not as skilled on this as you think. <http://crownjul1.wordpress.com>

10. No This is pure evil...the technology is so advanced that they operate 267. <http://crownjul1.wordpress.com> laser microwave beams using chemcials to sabotage the victims and their homes, The perps get into your home and place small balls of chemicals through any crevice and ignite it by devices/ and the home is saturated by inhaling odourless chemcial while you sleep....there doing this to old people so they go down quickly to get their homes. We are traced by satelite ITs using infra red sensors to target then we are hit by chemcials and you can be anywhere in society .....it encounters a beam of a circumference and anyone near you starts coughing, they can make you sick, bring on heart attacks, liver failure, strokes, the list goes on and there is no evidence all looks natural deaths.....

11. Page 126 Very often I smelled unusual and strange odours in my flat. My aunt and my neighbour also smelled them. At first I presumed , that all this was the work of my neighbours and I turned therefore to the police. I was recommended to simply change residence.[www.250CasesTortureFromEurope.pdf](http://www.250CasesTortureFromEurope.pdf)

12. Page 186 Our eyes and our noses became irritated, whenever we smelled this cloud of odour, which followed the dull knocking noise. The odour smelled alternatngly sweetish, then like bitter almonds followed by chlorine or exhaust gases.[www.250CasesTortureFromEurope.pdf](http://www.250CasesTortureFromEurope.pdf)

13 For the last 4 nights I have been forced out of my home, sitting at the back door or front trying to breathe. Chemicals... You can't stay in here at night if you want to keep breathing. I am getting over Chemical Pneumonia at the moment, I have photos of chemical burns on my face. Going back awhile ago they said "We can make it all chemical if you like try fighting that." ...The photo is of chemical burns on my face... The week before I finally got chemical pneumonia both my dog and I had been vomitting every single day. I have heard scraping sounds under my floorboards right next to the adjoining wall from next door. 7.19pm last night I heard something drop in my ceiling and got told "see how long you can stay in there now." By 7.30pm I was outside with my dog, it was impossible to breathe inside. My mouth was very furry and dry, my dog had to keep drinking water,


something I normally have to force him to do. <http://www.blogger.com/profile/08008249564877843800>

### **MY OWN EXPERIENCE OF BEING TARGETED WITH BIOCHEMICALS**

When I was first targeted, I was constantly aware of chemical smells in my apartment. I do not smoke, but the smell of cigarettes hung around all day. Later I could smell something like cleaning fluid. The main effects of that were dizziness, headaches and severe breathing difficulties. The only way to survive was to keep my head out of the window. One day it got so bad that I left my apartment and did not live there again. When I left the house the chemical smell diminished. On returning I would notice the chemical smell in the hallway, indicating that it was the living space rather than my personal space that was being targeted. The same thing happens where I live now. On one occasion I was aware of being targeted not only with chemicals, but with some kind of virus. Two people living near me got sick for about a week with respiratory tract infections. Perhaps the reason I didn't get sick was that I was taking Oxysilver, an electro-silver hydrosol, as a preventative: [www.HealthyWorldStore.com](http://www.HealthyWorldStore.com).

### **SCENTS AND ODOURS CAN BE REPLICATED SYNTHETICALLY**

According to one theory, a molecule's smell character is due to its vibrational frequency in the infrared range. [http://en.wikipedia.org/wiki/Vibration\\_theory\\_of\\_olfaction](http://en.wikipedia.org/wiki/Vibration_theory_of_olfaction). Many modern perfumes contain synthesized odorants. Synthetics can provide fragrances which are not found in nature. For instance, Calone, a compound of synthetic origin, imparts a fresh ozonous metallic marine scent that is widely used in contemporary perfumes. One of the most commonly used class of synthetic aromatics are the white musks, which are added in large quantities to laundry detergents in order to give washed clothes a lasting "clean" scent. <http://en.wikipedia.org/wiki/Perfume>



### **Malodorants**



A malodorant is a chemical compound whose extreme stench is enough to make people want to leave the area as quickly as possible. It may also act as a temporary incapacitant, as apparently it can attack the olfactory and/or trigeminal nerves of the person introduced to the chemical. <http://en.wikipedia.org/wiki/Malodorant>.

There is some debate about how safe malodorants are. According to the magazine *New Scientist*, stink bombs do not cause injury, but the intense, unfamiliar foul smells trigger an unthinking fear reaction that causes the target to flee. [www.newscientist.com/article/mg21428676.800-us-military-malodorant-missiles-kick-up-a-stink.html](http://www.newscientist.com/article/mg21428676.800-us-military-malodorant-missiles-kick-up-a-stink.html)

According to a paper written by Ronald G. Sutherland, odours tested for use as culturally specific malodorants include: bathroom odor, butyric acid, vomit odour, sewage odour, burned hair, cherry-almond, cinnamon, lemon, menthol and vanilla, all of which have been given an 'odor repellency ranking'. [http://en.wikipedia.org/wiki/Non-lethal\\_weapon](http://en.wikipedia.org/wiki/Non-lethal_weapon).

### **WHY ARE TARGETED INDIVIDUALS BEING EXPOSED TO BIOCHEMICALS?**



Why are some Targeted Individuals being exposed to chemicals and malodorants? It could be because:

- TIs are part of some nonconsensual research project testing how strong a dose of bio/chemicals is acceptable to different demographic groups;
- Perpetrators want to examine side effects of bio/chemicals;
- Perpetrators use biochemicals for mind control purposes – including brainwave entrainment, or altered states of consciousness; or
- Perpetrators want to target TIs for malicious reasons.

### **WHICH BIOCHEMICALS ARE LIKELY TO BE TESTED ON TIs?**

Biochemicals likely to be tested on targeted individuals could include:

**Calmative Agents:** Calmative agents, (also called chemical peacemakers, incapacitants, and psychotropics), are used on people to render them incapable of continuing their actions. They cause a variety of effects, from hallucinations to unconsciousness. Broad categories of calmatives include opioids, antidepressants, skeletal muscle relaxants, antipsychotics, anesthetic agents, sedatives, and hypnotic agents. The chemicals work by inhibiting the function of the central nervous system. Depending on the dose and duration, they produce physiological and behavioral changes, ranging from mild sedation to coma or death. <http://www.newworldwar.org/chemical.htm>

**Opioid Agents – Fentanyl:** Fentanyl is a synthetic opioid agent widely used for surgical analgesia and sedation. It is 200 times more potent than morphine. In therapeutic use fentanyl is quickly absorbed through the skin and is frequently applied as a skin patch. There has been research into the use of this drug in spray format.

Fentanyl is closely related to toxins 'that deliver a lot more than freedom from pain. Nonpharmaceutical fentanyl use can be deadly. A fentanyl derivative was used to end the Moscow theatre hostage crisis in 2002, in which 120 out of 800 hostages died from accidental overdoses of the narcotic. According to a 2008 MMWR report 1,013 deaths in six jurisdictions were attributed to fentanyl abuse in a two-year period, making this the largest such epidemic ever reported.

Recent data on illicit fentanyl and its analogues indicate that these compounds are becoming increasingly popular on the drug market'. <http://gossypiboma.wordpress.com/2009/07/11/the-weaponization-of-toxicity/>. Targeted Individuals frequently report increased levels of fatigue and unexplained sudden sleep events. Perhaps similar substances are being tested on them.

**Psychopharmacology:** In psychopharmacology, researchers are interested in any substance that crosses the blood-brain barrier and thus has an effect on behavior, mood or cognition. Researchers in psychopharmacology study a variety of different psychoactive substances that include alcohol, cannabinoids, club drugs, psychedelics, opiates, nicotine, caffeine, psychomotor stimulants, inhalants, and anabolic-androgenic steroids. They also study drugs used in the treatment of anxiety disorders, as well



An arrangement of psychoactive drugs.

as schizophrenia. Psychoactive drugs work almost entirely through action on neurotransmitters. <http://en.wikipedia.org/wiki/Psychopharmacology>.



### **Other biochemicals: Hypnotics and**

**Hallucinogens** – TIs might be used for nonconsensual testing of hypnotics, which are often used to treat the symptoms of insomnia, or other sleep disorders. Benzodiazepines are still among the most widely prescribed sedative-hypnotics. Certain non-benzodiazepine drugs are used as hypnotics as well. <http://en.wikipedia.org/wiki/Psychopharmacology>. Hallucinogens can cause perceptual and cognitive distortions without

delirium. <http://en.wikipedia.org/wiki/Psychopharmacology>

The application of these biochemicals in mind control is clear. Many Targeted Individuals report side effects consistent with their use, although the effects could be attributed to other interventions.

### **HOW DO TOXIC BIOCHEMICALS GET INTO THE BODIES OF TIs?**

According to one source: 'The chemicals are available in solid, liquid, powder, or gas form. The gas form is said to be colorless and odorless. The most common methods for the chemicals to enter the body are inhalation or absorption through the skin.

The form, method of delivery, and type of chemical used, determines how fast it takes effect. Inhalation causes the onset of symptoms in about 1 minute, while absorption produces effects in about 3 to 5 minutes. Long-distance weapon platforms include an aerosol dispenser called the Overhead Liquid Dispersal System (OLDS), which can deliver a dose of chemicals 13 meters in diameter up to 175 meters away.' [www.newworldwar.org/chemical.htm](http://www.newworldwar.org/chemical.htm)

### **REMOTE DELIVERY METHODS FOR TOXIC CHEMICALS**

I am not an expert on all this but, based on my observation, I think that toxic biochemicals are being transmitted remotely via infra-red/ultraviolet laser beam as frequencies.

- The laser absorbs the frequencies sufficiently to transmit them via satellite and then beams them at the TI, or across a broader specified area. Once the tracking coordinates lock on, the 'payload' will be delivered, even to a fast-moving target like a vehicle. This would work not only for a chemical but for a biological agent like anthrax or a virus.
- Another delivery method that could perhaps work as well, or more effectively, would be a *focussed ultrasound microwave beam*.

### **APPLICATIONS**

Using either of the delivery methods described above, biochemical toxins could be transmitted remotely to the TI in the following ways:

- Narrow beam transmission of biochemical toxins over the TI's body and energy field.
- Wide beam transmission of biochemical toxins over a house or living space.

- Directed stimulation of specific parts of the brain – *but not to the cerebral cortex for odours* – applying synthetic frequencies of toxic biochemicals. The toxins are then transmitted directly to the olfactory senses.

I have also experienced what appeared to be:

- Directed microwave stimulation of tissue within the nose, making it expand and obstruct airway passages – which could lead to asphyxiation.
- Directed application of a thin film of toxic substance into the nostrils. The tacky substance dries, obstructing breathing and causing tissue distress – risk of asphyxiation in those with asthma or other breathing problems.

One Targeted Individual reached similar conclusions to mine:

<http://www.youtube.com/watch?v=zOjxujtDzys>

Not every TI will be subject to chemical poison attacks. However, I think it may be more prevalent than commonly thought. This technology may make a bit more sense to me because of my education and training in biology, electronics and computer science... I know how the chemical is transferred electronically... Chemicals can be put on you by the handler... The handler then uses the DEW beam to transfer the chemical... How is the poison dispensed? The handler does this with the DEW microwave beam. Poison is put on your food when you prepare it and / or when you are eating. Does your tongue burn and lips show distinctive chemical burns on soft tissue and feel numb?

### **SECRECY ABOUT BIOCHEMICAL TECHNOLOGIES LEADS TO ABUSE**

There is very little explanation about electro-chemical technology threats in the public domain. One reason could be awareness of existing international treaties such as the 1925 Geneva Protocol, the 1972 Biological and Toxin Weapons Convention, and the 1993 Chemical Weapons Convention\*. In some countries such technologies may be covered by national secrecy laws.

But if criminals have got their hands on the technologies and are targeting individuals with chemicals, there must be arrangements to protect citizens and respond to such events appropriately. The more the issue of criminal toxic biochemical attacks on citizens is discussed in the media and on the internet, the better informed people will become. This is bound to happen, because the number of targeted individuals is increasing incrementally.

Once support services are properly briefed, they will be better prepared to support Targeted Individuals seeking help.

*\*United Nations, Convention on the Prohibition of the Development, Production, Stockpiling and Use of Chemical Weapons and on Their Destruction, Corrected version in accordance with Depositary Notification C.N.246.1994.Treaties-5 and the corresponding Proces-Verbal of Rectification of the Original of the Convention, issued on 8 April 1994. Available at <http://www.opcw.org/cwc/cwc-eng.htm>*

### **WHAT WE CAN DO TO PROTECT OURSELVES**

There are some common sense things which will occur to any Targeted Individual exposed to toxic biochemicals, if they recognise the attack in time. These include:

#### **Toxic biochemical attack**

- Narrow beam transmission of biochemical toxins over the TI's body and energy field.
- Wide beam transmission of biochemical toxins over a house or living space.

#### **Prevention / Remedy**

- Aerate the living space as much as possible. If you leave the house for some time, remember to aerate it immediately on return.

- Directed stimulation of specific parts of the brain – *not necessarily the cerebral cortex* – with synthetic frequencies of toxic biochemicals. The toxins are then transmitted directly to the olfactory senses.
  
- Microwave skin burn
  
- Poisoning
  - Directed microwave stimulation of tissue within the nose, making it expand and obstruct airway passages – leading eventually to asphyxiation.
  - Directed application of a thin film of toxic substance into the nostrils. The tacky substance dries, obstructing breathing and causing tissue tightening – leading eventually to asphyxiation in those with asthma or other breathing problems.
  
- Drink enough pure water or juice if dehydrated.
  - Open windows or go outside.
  - To sleep at night try **several layers** of alluminium foil covering the head. – *tin hat*. Cover head completely.
  - Drink enough pure water or juice if dehydrated.
  - To prevent recurrence, cover the area with alluminium foil, especially when sleeping.
  - Cover eyes with an eye mask filled with aluminium foil, or attach the foil to the outside.
  - Put cream on lips.
  - Drink enough pure water or juice if dehydrated.
  - Seek medical advice if appropriate.
  - Drink enough pure water if dehydrated.
  - Apply a vapour rub to internal lining of nose.
  - Inhale vapour from hot bowl of vapour rub.
  - Standard pharmaceutical products that clear airway passages may be helpful.